

Stainless Steel Band

- Banding is available in standard 100-foot lengths.
- Strapping easily accessed from plastic dispensing case.

PART NUMBER	SIZE	MATERIAL	CARTON QTY
2415	.020 x 1/4"	Type 201 Stainless Steel	1
2416	.025 x 3/8"	Type 201 Stainless Steel	1
2417	.030 x 1/2"	Type 201 Stainless Steel	1
2418	.030 x 5/8"	Type 201 Stainless Steel	1
2419	.030 x 3/4"	Type 201 Stainless Steel	1



Giant Buckle

- Used in conjunction with heavy-duty strapping to secure banding.
- Buckles are available in Type 201 Stainless Steel.
- It is recommended to double-wrap strapping in heavy-duty applications.

PART NUMBER	SIZE	MATERIAL	CARTON QTY
2410	3/4"	201/301 Stainless Steel	25
2411	1"	201/301 Stainless Steel	25
2412	1 1/4"	201/301 Stainless Steel	25



Banding Clamp Assembly

- Used as a banding strap without the need for buckles or any special tools.
- Clamp is extruded from high strength Type 3003 Aluminum.
- Bolt is a hot dip galvanized.

PART NUMBER	BAND LENGTH	POLE DIAMETER	CARTON QTY
2403	3/4" (Band not included)		50
2403-24	3/4" x 24"	4" to 6 1/2"	1
2403-36	3/4" x 36"	8" to 10"	1
2403-40	3/4" x 40"	9" to 11"	1
2403-48	3/4" x 48"	10" to 13"	1
2403-60	3/4" x 60"	13" to 17"	1
2403-72	3/4" x 72"	17" to 21"	1
2403-80	3/4" x 80"	21" to 24"	1
2403-90	3/4" x 90"	24" to 28 1/2"	1
2404	1 1/4" (Band not included)		25
2404-36	1 1/4" x 36"	8" to 10"	1
2404-40	1 1/4" x 40"	9" to 11"	1
2404-48	1 1/4" x 48"	10" to 13"	1
2404-60	1 1/4" x 60"	13" to 17"	1
2404-72	1 1/4" x 72"	17" to 21"	1
2404-80	1 1/4" x 80"	21" to 24"	1

Stainless Steel Buckle

- Used in conjunction with stainless strapping to secure band.
- Stamped from Type 201 or 316 Stainless Steel.

PART NUMBER	SIZE	MATERIAL	CARTON QTY
2425	1/4"	Type 201 Stainless Steel	100
2426	3/8"	Type 201 Stainless Steel	100
2427	1/2"	Type 201 Stainless Steel	100
2428	5/8"	Type 201 Stainless Steel	100
2429	3/4"	Type 201 Stainless Steel	100



Giant Band


- Banding is available in standard 100-foot lengths.
- Strapping easily accessed from dispensing carton.

PART NUMBER	SIZE	MATERIAL	CARTON QTY
2407	.044 x 3/4"	Type 201 Stainless Steel	1
2408	.044 x 1"	Type 201 Stainless Steel	1
2409	.044 x 1 1/4"	Type 201 Stainless Steel	1



One Bolt Straight Leg Bracket

- Used for making attachments to banding.
- Bracket is equipped with Hex Bolt and Fibre Washer.




PART NUMBER	DESCRIPTION	MATERIAL	CARTON QTY
2413	One Bolt Straight Leg Bracket	Type 304 Stainless Steel	50






One Bolt Flared Leg Bracket

- Used in conjunction with $\frac{1}{2}$ ", $\frac{5}{8}$ " and $\frac{3}{4}$ " strapping to make attachments to banding.
- Bracket is equipped with Hex Bolt and Fibre Washer.





PART NUMBER	DESCRIPTION	MATERIAL	CARTON QTY
2414	One Bolt Flared Leg Bracket	Type 304 Stainless Steel	50




Aluminum Mounting Plate

- Provides a mount for various attachments including Cable Suspension Clamps.
- Extruded from heavy-duty Type 3003 Aluminum.
- Both sizes of Aluminum Mounting Plate are $1\frac{1}{2}$ " wide.



PART NUMBER	SIZE	BOLT PROVIDED	CARTON QTY
2400	$1\frac{1}{2}$ " x $4\frac{3}{4}$ "	$\frac{5}{8}$ -11 x 2"	25
2401	$1\frac{1}{2}$ " x $5\frac{1}{4}$ "	$\frac{5}{8}$ -11 x 2"	25
2402	$1\frac{1}{2}$ " x $5\frac{1}{4}$ "	$\frac{5}{8}$ -11 x 3"	25



Banding Tool

- Used to tension and fasten banding to poles.
- Tool includes a spring-loaded gripper lever for superior band tensioning.
- Tool is equipped with a friction held cutoff lever with plastic grip for easy operation.
- Tool is treated with a permanent lubrication on the tensioning screw to extend tool life and speed clamping.
- The spin handle retaining-ring keeps parts intact.
- The Standard Band Tool is designed to pull up to 2,400 lbs. The Giant Band Tool is designed to pull up to 6,000 lbs.

PART NUMBER	DESCRIPTION	CARTON QTY
2405	Standard Band Tool	1
2406	Giant Band Tool	1

